## GENE EXPRESSION STUDY IN DENTAL PULP STEM CELLS CULTIVATED ON TITANIUM ALLOYS

M. LOPEZ<sub>1</sub>, M. ANDREASI BASSI<sub>1</sub>, L. CONFALONE<sub>1</sub>, S. FANALI<sub>2</sub>, V. CANDOTTO<sub>3</sub>, F. CURA<sub>4</sub>, F. CARINCI<sub>3</sub>

<sub>1</sub>Private practice, Rome, Italy, <sub>2</sub>Department of Oral Science, Nano and Biotechnology, University "G. D'Annunzio", Chieti, Italy, <sub>3</sub>Department of D.M.C.C.C., Section of Maxillofacial and Plastic Surgery, University of Ferrara, Ferrara, Italy, <sub>4</sub>Department of histology, embryology and applied biology, University of Bologna, Bologna, Italy

Nowadays, research on orthopedic and dental implants is focused on titanium alloys due to their appropriated mechanical properties and corrosion resistance in the body environment. Another important aspect to be investigated is their surface topography, which is very important to osseointegration. The aim of this study was to assess dental pulp stem cells response to different titanium surface topography modified. Mesenchymal stem cell marker ENG was significantly decreased in stem cells cultivated in modified titanium surface respect to machined titanium surface, indicating the differentiation effect of this biomaterial on stem cells. The obtained results can be relevant to better understand the molecular mechanism of bone regeneration and as a model for comparing other materials with similar clinical effects.

Corresponding author:

Prof. Francesco Carinci, M.D Department of D.M.C.C.C Section of Maxillofacial and Plastic Surgery University of Ferrara Corso Giovecca 203, 44100 Ferrara ITALY

E-mail: crc@unife.it Web: www.carinci.org Phone: +39.0532.455874 Fax: +39.0532.455876

1721-727X (2012)

This publication and/or article is for individual use only and may not be further reproduced without written permission from the copyright holder.

Unauthorized reproduction may result in financial and other penalties

DISCLOSURE: ALL AUTHORS REPORT NO CONFLICTS OF

INTEREST RELEVANT TO THIS ARTICLE.

European Journal of Inflammation – Vol. 10, no. 2 (5), 49-53 (2012)